ZAMÓWIENIA

tel./fax 42 656 10 51 tel. 42 656 30 20 mail info@avi.net.pl SPRZEDAŻ: Łódź, ul. Brzezińska 16



Underfloor heating for tiles



ebeco.com

Ebeco Thermoflex Kit

Thin and easily installed heating cable mat

The Ebeco Thermoflex Kit contains all you need for quick, simple installation of underfloor heating under a tiled or natural stone floor. Thermoflex is a self-adhesive heating cable mat in the form of vinyl mesh with heating cable attached to it at a specific spacing. This unique design gives a system which is easy to lay and which guarantees reliable underfloor heating for many years.





Ebeco Thermoflex Kit

Ebeco Thermoflex Kit includes the EB-therm 355 digital thermostat. This thermostat is programmable, which means that you can set times and temperatures just the way you want. This gives you scope for optimal energy saving.




Output 120 W or 160 W

Ebeco Thermoflex Kit is available with an output of either 120W/m² or 160W/m². This enables the system to be installed not only inside your house, but also in high heat loss rooms, such as conservatories. The 120W kit is available in 13 sizes and the 160 W kit in 10 sizes. Both ranges include a complementary kit, without thermostat, so that mats can be added together to heat large areas.



Installation


The Thermoflex mat is rolled out and fixed in the same operation, making it simple and quick to install. Thermoflex can easily be cut and positioned to cover the required area. It requires a 230 V supply and the power output is either 120W/m² or 160 W/m². Thermoflex Kit 160 W/m² is too powerful to be used over timber or other flammable materials, and must only be installed on concrete floors.




The pack contains detailed installation instructions, which can also be found at www.ebeco.com

The underfloor heating system is a mains voltage installation and must therefore be installed and connected in accordance with the current national regulations.

Configuration Ebeco Thermoflex Kit 120 W/m²



Configuration Ebeco Thermoflex Kit 160 W/m²



Voltage: 230V

120 W/m ²				160 W/m ²			
Thermoflex Kit							
				Thermoflex Kit			
ART NO	ARTICLE	POWER	MIN AREA	ART NO	ARTICLE	POWER	MIN. AREA
E 89 602 17	Ebeco Thermoflex Kit 120W/m ²	150 W	1.25 m ²	66 556 04	Ebeco Thermoflex Kit 160W/m ²	270 W	1.7 m ²
E 89 602 18	Ebeco Thermoflex Kit 120W/m ²	200 W	1.7 m ²	66 556 08	Ebeco Thermoflex Kit 160W/m ²	430 W	2.7 m ²
E 89 602 19	Ebeco Thermoflex Kit 120W/m ²	250 W	2.1 m ²	66 556 12	Ebeco Thermoflex Kit 160W/m ²	580 W	3.6 m ²
E 89 602 20	Ebeco Thermoflex Kit 120W/m ²	340 W	2.7 m ²	66 556 14	Ebeco Thermoflex Kit 160W/m ²	690 W	4.4 m ²
E 89 602 21	Ebeco Thermoflex Kit 120W/m ²	400 W	3.4 m ²	66 556 16	Ebeco Thermoflex Kit 160W/m ²	870 W	5.4 m ²
E 89 602 22	Ebeco Thermoflex Kit 120W/m ²	480 W	3.9 m ²	66 556 18	Ebeco Thermoflex Kit 160W/m ²	1030 W	6.5 m ²
E 89 602 23	Ebeco Thermoflex Kit 120W/m ²	530 W	4.4 m ²	66 556 20	Ebeco Thermoflex Kit 160W/m ²	1270 W	7.9 m ²
E 89 602 24	Ebeco Thermoflex Kit 120W/m ²	640 W	5.4 m ²	66 556 22	Ebeco Thermoflex Kit 160W/m ²	1480 W	9.3 m ²
E 89 602 25	Ebeco Thermoflex Kit 120W/m ²	780 W	6.6 m ²	66 556 24	Ebeco Thermoflex Kit 160W/m ²	1840 W	11.5m ²
E 89 602 26	Ebeco Thermoflex Kit 120W/m ²	940 W	7.9 m ²	66 556 26	Ebeco Thermoflex Kit 160W/m ²	2230 W	13.9 m ²
E 89 602 27	Ebeco Thermoflex Kit 120W/m ²	1170 W	9.6 m ²	COMPLEMENTARY KI	T EXCL. THERMOSTAT		
E 89 602 28	Ebeco Thermoflex Kit 120W/m ²	1380 W	11.5 m ²	66 556 28	Ebeco Thermoflex Compl. Kit 160W/m ²	1840 W	11.5 m ²
E 89 602 29	Ebeco Thermoflex Kit 120W/m ²	1700 W	14.0 m ²				
COMPLEMENTARY KIT EXCL. THERMOSTAT							
E 89 605 96	Ebeco Thermoflex Compl. Kit 120W/r	n² 1380 W	11.5 m ²				

EBECO AB Lärjeågatan 11 415 25 Göteborg Sweden

Tel +46 (0)31-707 75 50 Faks +46 (0)31-707 75 60

info@ebeco.se